MINERAL SURVEY No. 3901

SEP 21 1923 VCT-3/923.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	KN	OWN AS THE	
	Slim Fr	action lode	
	Verde		
	Yavapai	County,	Arizona
ion	7	15 N. 2 15 N.	3 E. G.& S.R. , Range 2 E. Unsur. &
	eyed under instructions d		d B.Colwell
	Claim located See 1	byAlfre	d B.Colwell U. S. Mineral Surveyor.
		by Alfre	d B.Colwell U. S. Mineral Surveyor.
	Claim located See 1	by Alfre	d B.Colwell U. S. Mineral Surveyor. e, 19 , 1923

Feet

Slim Fraction lode.

Beginning at Cor.No.1

A porphyry stone 8 x ll x l8 ins. set 10 ins.in the ground, chiseled + at exact corner point and S.F.1-3901 with mound of rock alongside Whence The W.½ Cor.Sec.7 T.15 N.R.3 E. G.& S.R.B.& M.bears S.26°36'E.- 262.80 ft. No other bearings available.

Thence N.16°0'W.-

197.29 Intersect the North end line Frog lode, unsurveyed, claimant unknown at S.67°03'W.-593.92 ft.from the N.E.Cor.

207.00 West End Center, a monument of rock.

225.00 To Cor.No.2

On line 2-3 Sur.No.1469 Cloverdale lode, claimant herein.

A schist rock 7 x 12×24 ins.set 12 ins.in the ground,

chiseled + at exact corner point and S.F.2-3901 with

mound of rock alongside.

Whence

No bearings are available.

Thence N.65°57'E.

606.84 Intersect line 4-1 Sur.No.1469 Revenue lode at S.16°0'E.
1258.39 ft.from Cor.No.1

640.00 To Cor.No.3

Identical with Cor.No.3 Sur.No.1469 Cloverdale lode

A cross(+) on diorite ledge 3 x 4 ft., chiseled C.D.3-1469

S.F.3-3901 with mound of rock alongside. Whence

Cor.No.1 Sur.No.1469 Revenue lode bears N.17°29'W.-1254.22

ft.

The N.E.Cor.Frog lode, unsurveyed, bears S.28°09'W.-63.35ft

Thence S.16°0'E.

18.00 East End Center, a monument of rock.

225.00 To Cor. Ho. 4

A schist rock 9 x 10 x 24 ins.set 12 ins.in the ground chiseled + at exact corner point and S.F.4-3901, with mound of rock alongside Whence No bearings are available.

Mineral Survey No.3901

Feet Thence S.65°57'W. 33.16 Intersect line 4-1 Sur. No. 1469 Revenue lode at S. 16°0'E. 1483.39 ft.from Cor.No.1 56.82 Intersect the East side line Frog lode, unsurveyed at S.12°18'E. - 187.89 ft.from the N.E.Cor. 640.00 To Cor. No.1 The place of beginning. Variation at all corners 14°30'E. Lode line The lode line runs N.65957'E.50.00 ft. and S.65957'W.-590 ft.from the discovery point.to the respective end centers. Area. Total area 3.273 Acres Area in conflict with Sur.No.1469 Revenue lode .170 Acres Frog lode, unsurveyed 2.567 " The survey of this claim is identical with the amend ed location Location This claim is situated in Sec. 1 T.15 N.R.2 E.Unsur.and Sec. 7 T.15 N.R. 3E. Gila and Salt River Base and Meridian. and in the Prescott National Forest. Adjoining Claims On the North-Sur. No. 1469 Cloverdale lode. On the East, Sur. No. 1469 Revenue lode On the South- Frog lode, unsurveyed On the West- Unknown Expenditure of Five Hundred Dollars. I certify that the value of the labor and improvements placed upon this claim or for its benefit, by the claimant

No.1 The discovery cut, the face of which is on the lode line

and that said improvements consist of

and its grantors is not less than five hundred dollars

3

at 50 ft.from the East End Center, running thence North 21 ft.to mouth, 4ft.wide, 10 ft.face.

Value

\$100

1/46 of the Common Benefit Improvements

herein after described

\$2338.35

The three tunnels hereinafter described were planned by the claimant for the development of all that portion of its holdings which could be reached by horizontal development work or used as means of access to shafts or winzes which would develop the ground at reasonable depths below the level of the tunnels. Inasmuch as the crest of the Black Hills Range lies to the West, the ground rises rapidly in that direction and as the tunnels gain depth below the surface they are a logical means of development work. The claims belonging to the company hereinafter enumerated all lie above the level of the lowest of the three tunnels (Revenue Tunnel) and are all susceptible of development through one or the other of the tunnels.

That portion of the claimants holdings lying above the level of the Revenue Tunnel, and which is herein claimed as benefited by the system of tunnels, consists of 30 patented claims and 16 unpatented locations, enumerated as follows .-

Patented Claims .- Sur. No. 1466 Grand Bounce, Prince, Oregon, East Ext Grand Bounds. Protector, Fraction, Missouri, Oversight, and Silver Tip lodes. Sur. No. 1468 Union Jack, Blue Bell, Cliff, John &n Johnathan and Cherry lodes. Sur. No. 1469 Badger, Ground Hog, Loan Pine, Black Horse, Amazon, Ninety Eight, Galveston, El Paso, Little Joe, Limbo, Golden Eagle, Copper Plate, Cloverdale and Revenue lodes. Sur. No. 1414 Green Monster and Green Monster Ex . lodes (In the last two claimant owns only one half interest but the element of contiguity is not disturbed thereby) Twelve unpatented locations are embraced in recent surveys as follows: -Sur.No.3896 Wild Rose, Sur.No.3897 Layman Fraction and Elusive.Sur.No.3899 Morgan, Humbert, Bailey,

Valley View, Silver Cup, Wedge and Closure lodes.Sur. No.3900 Manzanita lode and Sur. No.3901 Slim Fraction.lode.

Also the following unsurveyed locations to wit. Layman,

Brad, Iron Cap and Independence.lodes.

Description of the Tunnels is as follows-

Badger Tunnel. The mouth of which is situated on Sur.No. 1469 Badger lode, claimant herein, whence Cor.No.1 Sur.No. 3901 Slim Fraction lode bears S.40°20'E.- 4850 ft. Thence N.87°30'W.- 120 ft. to Pt.1 Thence S.75°W.- 410 ft.to Pt.2 Thence S.86°W.- 140 ft.to Pt.3 Thence S.71°W.- 330 ft.to Pt.4 Thence S.73°30'W.- 262 ft.to Pt.5 Thence S.80°40'W.- 190 ft.to Pt.6 Thence N.10°W.- 65 ft.to face of drift. From Pt.6 S.80°40'W.- 67 ft.to Pt.7 Thence S.80°40'W.- 17 ft.to face. From Pt.7 N.18°W.- 15 ft.to Pt.8 Thence N.18°W. 70 ft.to face of drift. and from Pt.8 N.40°W.- 18 ft.to face of drift. All openings not less than 4 x 6½ ft. Total of 1704 ft. Value \$25564

Gorge Tunnel The mouth of which is situated on Sur. No. 1468 Blue Bell lode, claimant herein Cor.No.4 Sur.No.3901 Slim Fraction lode bears S.83°30'E. 2400 ft. Thence S.66°30'W .- 50 ft.to Pt.1 Thence N.81°30'W.-386 ft.to Pt.2
Thence N.24°W.- 94 ft.to face
From Pt.2 S.79°30'W.- 100 ft.to Pt.3 Thence N.39°W .- 173 ft.to face. From Pt.3 S.79°30'W .- 47 ft. to Pt.4 Thence W.55°W.- 79 ft.to Pt. $4\frac{1}{2}$ Thence West 100 ft.to face. From Pt.4 S.26°30'W.- 217 ft.to Pt.5 Thence S.55°E.- 110 ft. to face. From Pt.5 S.26°30'W.- 243 ft.topt.6 Thence S.54°E. - 40 ft. to Pt.64 Thence S.80°E. - 38 ft. to face. From Pt.61 West 25 ft.to Pt.65 Thence S.30°W.- 30 ft.to face. From Pt.6½ N.70°W.-16 ft.to face. From Pt.6 S.26°30°W.- 235 ft.to Pt.7 Thence S.87°E. - 120 ft. to Pt.8 Thence N.40°E .- 50 ft. to face. From Pt.8 S:87°E. - 90 ft. to Pt.9 Thence S.30°E. - 25 ft. to Pt.92 Thence East 70 ft. to face. From Pt.9 N.75°E.- 50 ft.to Pt.10 Thence N.40°E. - 230 ft. to Pt.11 Thence N.10°E .- 30 ft. to face. From Pt.7 West 15 ft.to Shaft extending 100 ft.vertically down and 184 ft. vertically up to surface. From shaft N.80°W .- 115 ft.to Pt.12 Thence N.58°W.- 104 ft.to face. From Pt.12 S.58°W.- 100 ft.to Pt.13 Thence S.5°W .- 45 ft.to face. All drifts and crosscuts not less than $4 \times 6^{\frac{1}{2}}$ ft.

> Value of Tunnel \$43900 Value of 284 ft.of shaft 8100 Total \$52000

Revenue Tunnel- The mouth of which bears from Cor.No.3 Sur.No.1469 Revenue lode N.12°E.-450 ft. and whence

Cor. No. 3 Sur. No. 3901 Slim Fraction lode bears S. 57°W. -

810 ft. Thence S.12°W.-32 ft. to Pt.1 Thence S.51°W.- 190 ft.to Pt.2 Thence N.38°15'W.-83 ft.to Pt.3 Thence N.38°15'W.- 32 ft.to face. From Pt.3 S.73°W .- 60 ft. to Pt.4 Thence S.7°W. - 32 ft. to Pt.5 Thence S.26°E. - 55 ft. to face. From Pt.2 S.51°W.- 21 ft.to Pt.6 Thence S.51°W .- 93 ft.to face. From Pt.6 S.19°40'E.-21 ft.to Pt.7 Thence S.46°10'E.- 35 ft.to Pt.8 Thence East 16 ft.to Pt.9 Thence East 34 ft. winze of unknown depth. Thence East 76 ft.to face.
From Pt.9 S.21°E. - 50 ft.to Pt.10
Thence S.41°10 E. 35 ft.to Pt.11 Thence S.69°20'E.- 18 ft.to Pt.12 Thence S.69°20'E .- 38 ft.to face. From Pt.12 S.12°W .- 106 ft. to Pt.13 Thence S.12°W.- 32 ft.to face. From Pt.13 N.88°W.- 44 ft.to Pt.14 Thence N.63°W .- 87 ft. to face. All workings not less than $4 \times 6\frac{1}{2}$ ft.

Value of Tunnel

\$18000

Also the following improvements made by the claimant for the common benefit of the lodes hereinbefore enumerated. An Incline Shaft -Situated on Sur.No.1466 Silver Tip lode Whence Cor.No.4 Sur.No.3901 Slim Fraction lode bears S.61°38'E. - 3825 ft.

Said shaft runs from the top on a dip of 20° in a direction N.30°W. - a depth of 190 ft. 5 x 8ft.in size, partly timbered.

Value

\$5000

Also the following section of road constructed by the expense of claimant for the operation and maintanance of the property. Used specifically for the purpose of hauling machinery to the incline shaft just described and for access to the Gorge Tunnel.

Beginning where it leaves the main public road at a point S.26°W.- 460 ft.from Cor.No.1 Sur.No.3899 Closure lode. Thence following a reasonable grade in a Northerly direction as shown on plat of said Sur.No.3899, a distance of 3950 ft. to where it crosses line 3-4 Morgan lode. No claim to any improvement is made beyond this point.

Also the following described portion of road, - Beginning where it leaves the previously described road at S.77°30°E 130 ft.from Cor.No.1 Closure lode Sur.No.3899. Thence in a Northerly direction as shown on plat of said survey a distance of 700 ft. to the mouth of the Gorge Tunnel. Both sections of this road are 7 ft.to 10 ft.wide with rock cuts on the upper side from 3 ft.to 10 ft.in heigth.

Value of both sections of road \$7000

Value of Value of	f Badger Tunnel f Gorge Tunnel and Shaft f Revenue Tunnel f Incline Shaft f Road	\$25564 52000 18000 5000 7000
· carac o.	rivau	7000

Total \$107564

1/46 of Total Value

\$2338.35

7

Of the total expenditure more than \$500 has been expended for each lode since the location of this claim.

Other Improvements

None Instrument.

This survey was made with a Wm.Ainsworth transit, The courses were deflected from the true meridian as determined by direct solar observations. Distances were measured with steel tapes.

Report.

The lines of this survey and connections to Sec. Cor. and contiguous claims were run upon the ground.

The Sec.Cor.herein tied to is a 3 in.iron pipe set in ground with bronze cap, properly marked.

Sur.No.1469 Revenue lode- Cor.No.1 is a properly marked stone set in ground. Cor.No.4 has been destroyed by an old road grade, hence connection is given in these notes to Cor.No.1 the course of line 1-4 being assumed as approved. Cloverdale lode-Cor.No.2 is a stone set in ground properly marked. Cor.No.3 is on ledge of rock as described in these notes.

All corners of Frog lode unsurveyed are 4 x 4 in. Posts.

Note

The discrepancies between these notes and the amended location notice in the lengths of side and end lines are due to errors in the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals em	ployed by Alfred B.Colwell
United States Mineral Surveyor, to assist in	running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field no	tes of the survey of the mining claim of
	Mining Company
known as the Slim Fra	
and showing the respective capacities in which	
	Tony Banke , Chainman.
	, Chainman.
	, Axman.
	, Flagman.
FINAL OATH	IS OF ASSISTANTS.
XX., I Tony Banke	
	, do solemnly swear that $\overline{f J}$ e assisted
	s Mineral Surveyor, in marking the corners and surveying
	nster Mining Company
	raction lode
	ing been surveyed by said mineral surveyor and under his
	respects, to the best of our knowledge and belief, faithfully
	ary monuments established according to law and the instruc-
cions furnished by the United States Surveyor-G	### #################################
	Tory Banke, Chainman.
	, Axman.
	, Flagman
	the above-named persons before me this 374
day of	
	At SYMROSS.
	- Wotany Sullie

FIXAL DATHS HOR SURVEYS.

LIST OF NAMES.

Limited, mades. There are little and believe to remaining programming, and more than home corners, and
to might grindly out to you on this solon like a valor and the hands for the solon of the solon of the solon of
Steen Mons or Mining Company
ebol deltosta Iraction lode
desired the respective expansion of religions and gaives a law.
.mmeieA5,
.marvings,
STRATEISEA TO STITAO JANES
TA I Tong Search
barrier of technology (inneligable and a compared to the compa
All red F. Tolen Lie Colon to the Minister Minister to morting the colons and surreging
The state of the s
Edoworache Land Calle Fraction 105s
mil rebus tilu roce vum Literius bika që herevina med razvad se mdea himi galëse coi edi sishem saspët.
vice tions and time section by the been in supporte, to the barble on the whether and being thinking
-preferring the real of grains and of definers transport gradured has converted but \$ 100 per period by
pad gorrouth, exceeding and an economic and boundary monuments and has conting to be, and Panishme-
and the continue of the continue to the continue of the contin
tions for making to the United States Secretary on Company to the Company of Secretary of Secret
Total fundation by the Markey or Company for the Company of the Co
Character of the Constitution of Constitution
Tions in marked by Enedicate States and veron Companies. Character. Character. Character. Light States and
Character of the Constitution of Constitution
Tions in marked by Enedicate States and veron Companies. Character. Character. Character. Light States and
Characteristics the Control State of the Control of

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Alfred B.Co	lwell	, U. S. Mineral Surveyor,
		ons received from the United States
		, dated
June 15-1923	, , I have,	in strict conformity to the laws of the
		ions thereunder, and the instructions
		executed the survey of the Mining
		Jining Company
		, known as the
		,
		Mining District,
7 Township I	No. 15 N. Range No.	Arizona , in Sections 3 E. 2 E. Unsur. G.& S.R.B.& M.,
and designated as Survey	No3901	, as represented
		the boundaries of said mining claim
		, and described in the attached copy
		me from the Surveyor General with
		rvey have been established and per-
		l regulations and instructions there-
		foregoing are the true and original
		, and that the labor expended and
		imant or <u>its</u> grantors
		extent, location, and itemized value
		full detail, and that no portion of
of expenditures upon any of		m has been included in the estimate
or expenditures upon any or	ner ciam.	
		1 1366 11
		U. S. Mineral Surveyor.
Subscribed and swom 4	so by the saidAlfr	ed B Colwell
		The law second control of the contro
	or, before mea N	
	ommission Expires June 1, 1925	
and the second	(9)	Will day ron
		not Pullin
5-7044		Many Mole

FINAL CATH OF U.S. MINERAL SURVEYOR.

	Elevisor, in the late	
	more broken and market to separating of the thirty of	
	Anontral Law	
	in to fundamental conclusion and boar emphilipped fluidilly of the and	
	and long Traction lone	
	Vende Labor	
and the Bections	Elitaria de la companya della companya della companya de la companya de la companya della compan	
	Company of the Compan	
	A section that the state of the	
		deminate of the
	and the section of the section of the section of	
	Plantan Bowlet him all of those burners	Transfel by the transfer
		海型 个 545%
25/0		
	The state of the s	語のフリン
	Carl Lamin and Administration and Administration	375

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,
October 26 , 1923 .
I, U. S. Surveyor General for <u>District of Arizona</u> ,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of
Green Monster Mining Company
, known as the SLIM FRACTION Lode
, situate in Verde
Mining District. Yayapai County
Range No. 2 E. Unsur. County, 15 N. 7 Township No. 15 N. Range No. 2 E. Unsur. , and designated as Survey
No. 3901 , has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof. And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 1 cut, value \$100, and 1/46 of the common improvement system, value \$2338.35, total value \$2438.35.
and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim. I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix.
Arizona, is correct and in conformity with the foregoing Field Notes.
Frank P. Trott
United States Summeron Commal for Arizona

U.S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON HELD VOIES

DEPARTMENTS OF YOU INTERIOR,

	f. S. Surrayon Goderal for
NAME OF THE PARTY STATES AND A STATE OF THE PARTY STATES AND A STATES	
	of the Survey of the minim character to the
	nii as avoni
	Vining District
Tempelin No.	
femine es transperto una 170	Rango Ro
	tile in this office, that said 1965d Notes family
es almonoment lasemanação absido in	
	The continue of the state of th
	minis grittim tila, kropi sidat skrets atmed to
	e . Jun E . ho Leisters secreto conquii bies futili
•	
	not experient vo todal blue to notice ou built bec

I farther couldy that the plat thereof. We have I. Land Corner in

is correct and in contornity with the formering Field Notes:

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

		Phoenix, A	rizona,	
			October 2	26, 192 3
I, U. S. Surveyor General	forDis:	trict of Ari	zona	
do hereby certify that the fore				
Mining Claim of				
				., known as the
	SLIM FRA	CTION Lode		
situate in				
Yavapai	County, .		Arizon	a
in Sections 1	, Township No	15 N., 15 N.	, Range No. ₋	3 E., & -2 E., Unsur
, designate	d as Survey No.		3901	
executed by	Alfred B. Co	lwell		, U. S. Mineral
Surveyor, July 6	- 13	, 1923	, under my inst	tructions dated
June 15	, 192 3 , ha	ve been critically	examined and	the necessary
corrections and explanations ma				
are hereby approved. The cert	ified copy of the locatio	n certificate filed l	by the applican	at for survey is
on file in this office and a true	copy of said certified co	ppy of said location	on certificate is	included and
nade a part of the transcript of				
	Afr	court D.	The	#

U. S. Surveyor General for Arizona

1000

SURVEYOR CHAPLISTS CERTIFICATE OF APPROVAL OF FIELD HOTES

DEPARTMENT OF THE INTERNOT

	oraki				
	inise.				
	THE PRINCE				
		er la martin			
A Toward		. 1 64			
	toe-				
		Cacion	.J. Institu		
				- 0 7150	
					A. annik
edina 5 volt arrow					